## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1. (Original) A device for observing a display screen (2), comprising a large-surfaced visual medium (1) which may be arranged in front of the display screen (2), characterised in that the visual medium (1) has a focal width (f) of at least 615 mm.
- 2. (Currently Amended) A device according to ene of the preceding claims claim 1, characterised in that itthe device is optimised for observing a complete display screen (2) with both eyes (4).
- 3. (Currently Amended) A device according to claim 1, characterised in that itthe device is envisaged for an eye distance (a) of more than 220 mm.
- 4. (Currently Amended) A device according to claim 2, characterised in that itthe device is envisaged for an eye distance (a) of 220 mm to 1500 mm.
- 5. (Currently Amended) A device according to ene of the preceding claims claim 1, characterised in that itthe device is envisaged for an object distance (g) of 100 mm to 1500 mm.

- 6. (Currently Amended) A device according to one of the preceding claims claim 1, characterised in that itthe visual medium has a focal width (f) of 620 mm to 2000 mm.
- 7. (Currently Amended) A device according to one of the preceding claims claim 1, characterised in that it wisual medium has a focal width (f) of more than 800 mm.
- 8. (Currently Amended) A device according to one of the preceding claims claim 1, characterised in that itthe device has a diameter of 250 mm to 1000 mm.
- 9. (Currently Amended) A device according to one of the preceding claims claim1, characterised in that itthe device has a diameter of more than 370 mm.
- 10. (Currently Amended) A device according to one of the preceding claims claim 1, characterised in that itthe device comprises a system of several lenses.
- 11. (Currently Amended) A device according to claim 1 to 9, characterised in that itthe device comprises a single lens I(I).
- 12. (Original) A device according to claim 11, characterised in that the lens (I) is plano-convex, concave-convex or biconvex.
- 13. (Currently Amended) A device according to claim 12, characterised in that the

lens (I) is biconvex and has a first radius of curvature (r1) in the region of 300 mm to 4'0001,000 mm and a second radius of curvature (r2) in the region of 600 -600 mm to 10'000 -10,000 mm.

- 14. (Currently Amended) A device according to claim 12, characterised in that the lens (I) is concave-convex and comprises a first radius of curvature (r1) in the region of 300 mm to 1'0001,000 mm and a second radius of curvature (r2) in the region of 1'0001,000 mm to 10'00010,000 mm.
- 15. (Original) A device according to claim 12, characterised in that the lens (I) is plano-convex, and has a radius of curvature in the region between 550 mm and 660 mm, preferably between 585 mm and 605 mm.
- 16. (Currently Amended) A device according to one of the preceding claims claim 11, characterised in that the lens is antireflected at least on one side by way of a film which is stuck on, or a laminate.
- 17. (Currently Amended) A device according to one of the preceding claims claim 11, characterised in that the lens is antireflected at least on one side by way of one or more optically active layers which are vapour deposited or deposited by an immersion method.
- 18. (Currently Amended) A device according to one of the preceding claims claim 1, comprising a holding means (53; 51,52) for arranging the visual medium (1) in front

National Stage of PCT Application No.: PCT/CH2003/000823 Amendment Dated: June 14, 2005

of the display screen (2).

19. (Original) A device according to claim 18, wherein the holding means is an

adjustable arm (53) with several degrees of freedom which may be fastened on a

table (54).

10.20. (Currently Amended) A device according to claim 18, wherein the holding

means is a table stand (51) with means (52) for adjusting the height and/or

inclination of the visual medium (1).